

## Appendix A

1. (Amended) A method for promoting healing of a skin wound comprising steps of:  
providing isolated tropoelastin substantially identical to wild type tropoelastin  
and isolated lysyl oxidase substantially identical to wild type lysyl oxidase separated from each  
other; and  
applying both said tropoelastin and said lysyl oxidase to a skin wound  
simultaneously or sequentially.
2. The method of claim 1 wherein tropoelastin is wild type tropoelastin matched to species  
of recipient.
3. The method of claim 1 wherein tropoelastin is modified tropoelastin.
5. The method of claim 1 wherein tropoelastin comprises a heterogeneous mixture of  
tropoelastin isoforms.
9. The method of claim 1 wherein the method comprises the additional step of:  
repeatedly applying the tropoelastin and lysyl oxidase to the wound during the healing process.
10. The method of claim 1 wherein the method comprises the additional step of:  
approximating separated tissue of the wound using sutures, staples, adhesive strips, or tissue  
glue.

11. The method of claim 1 wherein the step of applying comprises applying the tropoelastin and lysyl oxidase with a sterile syringe.
12. (Amended) The method of claim 1 wherein the tropoelastin or lysyl oxidase has been mixed with other materials selected from the group consisting of polymers, emulsifiers, oils, perfumes, proteins, polysaccharides, nucleic acids, microfibrils, antimicrobial agents, adhesive agents, and protease inhibitors.
13. (Amended) A kit comprising tropoelastin substantially identical to wild type tropoelastin and lysyl oxidase substantially identical to wild type lysyl oxidase in separate compartments.
14. The kit of claim 13 wherein the tropoelastin is wild type tropoelastin.
15. The kit of claim 13 wherein the tropoelastin is modified tropoelastin.
17. The kit of claim 13 wherein the lysyl oxidase is wild type lysyl oxidase.

3298306v1